

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB05/000003

International filing date: 04 January 2005 (04.01.2005)

Document type: Certified copy of priority document

Document details: Country/Office: GB  
Number: 0400076.6  
Filing date: 05 January 2004 (05.01.2004)

Date of receipt at the International Bureau: 17 February 2005 (17.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



PCT/GB 2005 / 0 0 0 0 0 3



INVESTOR IN PEOPLE


The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated

10 January 2005

**Patents Form 1/77**


Patents Act 1977  
(Rule 16)



**1/77**

**Request for grant of a patent**

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form.)



The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

1. Your reference

P1154

05JAN04 E863073-1 D02605

P01/7700 0.00-0400076.6 NONE

2. Patent application number

(The Patent Office will fill in this part)

**0400076.6**

**5 JAN 2004**

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Robert Francis RICKARDS  
32A Hulham Road  
Exmouth  
Devon  
EX8 3HS

Patents ADP number (if you know it) **8350287001**

If the applicant is a corporate body, give the country/state of its incorporation

4. Title of the invention

**BOOK READING AID**

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

**Craske & Co.**  
Patent Law Chambers  
15 Queens Terrace  
EXETER  
EX4 4HJ

Patents ADP number (if you know it)

**ADP No. 7971004** ✓

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

**No**

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (2)

**Patents Form 1/77**

0090500 05 Jan 04 04:07

**Patents Form 1/77**

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 8

Claim(s)

Abstract

Drawing(s) 5

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date

Craske &amp; Co.

5 January 2004

12. Name and daytime telephone number of person to contact in the United Kingdom

Mr S.A. Craske Tel. 01 392 413 479

**Warning**

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 23 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

**Notes**

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 600505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

P1154

Robert Francis Rickards

## **BOOK READING AID**

---

### **TECHNICAL FIELD OF THE INVENTION**

This invention relates to a device for facilitating the reading of a book.

### **BACKGROUND**

Books which have simple bindings, particularly paper-back books, do not open flat, especially when new, and tend to close while being read. This is a nuisance because either the book has to be held open when reading or some means have to be found to prevent the book from closing. Readers resort to various devices for achieving this end, such as elastic bands, or weights of one sort or another. More sophisticated devices exist such as small lecterns with paper retainers, but these can be inconvenient for personal users.

WO 03 057 498 A1 discloses a device which includes an elongate telescopic element for supporting the cover of an open book with spring-loaded end pieces to hold the open pages. Whilst this device is capable of firmly holding books of various sizes without damaging the pages the user is still required to hold the book whilst reading in bed for example.

P1154

about an axis which is substantially perpendicular to the longitudinal direction of the elongate member. The support leg preferably comprises a plurality of telescopically-engaged sections.

The book holder may be secured to a surface by means of a mounting sleeve which is provided with means for releasably attaching the sleeve to said surface and arranged to receive the support leg as a push fit.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The following description and the accompanying drawings referred to therein are included by way of non-limiting example in order to illustrate how the invention may be put into practice. In the drawings:

Figure 1 is a general view of a book holder in accordance with the invention;

Figure 2 is a side view of the book holder being used to hold a book;

Figure 3 is an end view of the book holder being used to support the book on a horizontal surface;

Figure 4 shows the support leg of the book holder in exploded detail;

Figures 5 and 6 are end views of the inner core and outer

P1154

cover of the leg, respectively;

Figure 7 shows a hinge component of the leg in side view;

Figure 8 is a transverse section through a slider component by which the leg is attached;

Figure 9 shows another possible use of the book holder, secured to a computer monitor by means of a mounting sleeve; and

Figure 10 shows the mounting sleeve in end view.

#### DETAILED DESCRIPTION OF THE DRAWINGS

Referring firstly to **Fig. 1**, the book holder has an elongate member 100 which terminates in curved end-pieces 101, 102. The member 100 has upstanding arms 10 and 12 at opposite ends, which are angularly inclined towards each other, and includes a tubular outer section 108 of generally rectangular cross-section and an inner section 107 which can be moved telescopically within the outer section so that the distance between the arms 10 and 12 can be continuously varied for use with books of different sizes. A platform 14 of substantially elliptical outline is mounted on the upper face of the outer section 108 projecting at opposite sides of the elongate member.

Referring to **Fig. 2**, the end-pieces 101 and 102 are each made of a

substantially rigid material having a curved part 24 in the shape of a planar strip which has been arcuately curved in one dimension. A pair of spaced flanges 25 depend from the underside of the curved part 24 on opposite sides of the respective arm 10, 12 to which the flanges are secured by means of a pivot pin 201. One end of each curved part 24 forms an inwardly-directed finger portion 30 while the opposite end projects on the opposite side of the pivot pin 201 forming a lever portion 32. As can be seen in Fig. 3, a coil spring 203 is carried on each of the pins 201 with one end bearing against curved part 24 and the other end bearing against the respective arm 10, 12 so that the finger portion 30 is urged towards the platform 14. The tip of each finger portion 30 is substantially straight in a direction which extends substantially parallel to the axis of the pivot pin 201, but in side elevation (Fig. 2) the tip of the finger is formed with a smooth curve. When the device is used to hold the pages of an open book *B* the spine of the book is firmly supported by the platform 14 while the springs 203 press the ends of the fingers 30 against the open pages.

Continuing to refer to Fig. 2, a support leg 40 is slidably mounted on the outer section 108 of the elongate member 100 such that it can be positioned anywhere along its length, as indicated by the solid arrows. The bottom face of the outer section 108, opposite to the platform 14, is formed with a series of shallow transverse ridges 41 while opposite side faces are each formed with a longitudinal rib 42. The purpose of these features will be explained below. Since the leg 40 projects substantially perpendicularly away from the platform 14, if the bottom edge of the book *B* rests on a surface as in Fig. 3, the leg 40 can be used to support the book in an inclined position, as shown. Adjustment of the inclination of the book may be achieved by moving the book holder up or down the book. A higher position will reduce



P1154

the angle whereas a lower position will result in a steeper angle. Furthermore, by sliding the leg 40 along the elongate member 100 it is possible to balance a book of any size to rest in a stable condition on any surface, whether it be a flat surface such as a desk or an uneven surface such as a bed cover.

The detailed structure of the leg 40 is revealed in Figs 4 to 8. The leg includes a moulded core 50 with an elongate moulded cover 51 which may be formed of or coated with a friction material. As best seen in Fig. 5, the core 50 has a flat tongue 52 projecting from a top wall 53. The opposite faces of the tongue 52 carry parallel longitudinal ribs 54 which frictionally engage the internal surface of the cover 51, which is shown in top view in Fig. 6. Additional projections 55 may be formed inside the cover 1 to guide the cover as it slides telescopically on the core 50 and/or to provide an improved grip. In end view, the cover 51 has a major axis *M* and a minor axis *N*. The bottom end of the cover is straight with rounded corners (see Figs 3 and 4). The top wall 53 carries a hinge projection 56 to co-operate with a hinge component 57. A two-part hinge pin 58, 59 pivotally connects the two hinge sections 56 and 57 so that the leg may rotate about a pivot axis *D* which is parallel to the major axis *M*. The opposing faces of the hinge sections 56 and 57 are provided with co-operating shallow radial ribs 60, shown in Fig. 7, so that the leg 40 will normally be retained in any angular position to which it is adjusted. This pivotal arrangement therefore provides a second way in which the angle of the book may be changed if desired. A third way of adjusting the angle, which may be particularly useful for large or heavy books which are best supported at a higher level it to slide the cover 51 over the core 50 to telescopically extend the leg.

P1154

As can be seen in Figs 4 and 7, the hinge component 57 includes a block 62 for connection with a slider 63. The slider carries a moulded pin 64 which is sprung into an aperture in the block 62 such that the leg 40 may be rotated about a second axis *E* which is perpendicular to the first pivot axis *D* and parallel to the longitudinal direction of the leg. Fig. 8 shows the slider 63 in transverse section on the pivot axis *E*. The slider includes a bottom wall 65 with a pair of upstanding side walls 66 and 67 with opposing grooves 68. Thus, when the slider is slid onto the outer section 108 of the elongate member 100 the slider is retained and slidably guided by the ribs 42. The bottom of the slider is provided with a spring finger 70 or a moulded projection which engages the ridges 41 to retain the slider in any adjusted position.

When the book holder is not in use the leg 40 can be removed by sliding it off the outer section 108. Alternatively, the leg can be pivoted about the axis *D* and rotated about axis *E* to lie parallel to the elongate member 100.



A further use of the book holder is shown in Figs 9 and 10. A sleeve 80 adapted to receive the leg 40 as a push fit can be mounted on a computer monitor, a printer or the like by means of releasable pads of hook and loop material 81 and 82. One of the pads is bonded to the sleeve 80 while the other is secured to the monitor etc. by a layer of pressure-sensitive adhesive which may be protected by a peelable backing 83 prior to use. When the leg 40 is inserted into the sleeve 80 the book holder can be used to hold a book or, if desired, a single printed sheet of paper. The position of the holder can be adjusted by rotating the leg about the axes *D* and *E* and moving the slider 63 along the outer section 108.

P1154

It will be appreciated that the features disclosed herein may be present in any feasible combination. Whilst the above description lays emphasis on those areas which, in combination, are believed to be new, protection is claimed for any inventive combination of the features disclosed herein.

\* \* \* \* \*

1/5



2/5




Fig. 3

3/5





Fig 4

4/5



5/5




Fig 9




Fig 10